

MIL-C-20079H Type I Class 3 & Class 9 Fiberglass Cloth Fabric 1200°F / 648°C: DeltaGlass™ Very High Temperature & Heat Resistant



- Manufactured of fiberglass yarns, has a 1200°F / 648°C continuous rating while providing high insulation value & excellent personnel protection.
 - Good abrasion resistance and tensile strength.
 - Heat Treated fabrics have impurities removed, resulting in a very clean fabric which meets marine requirements.
 - Meets MIL-C-20079 Type I, Class 3 and Class 9.
 - Designed for shipboard/marine lagging and as a jacketing material for use over insulation.
 - Designed to replace asbestos materials grades UG, AA, AAA and AAA-M on turbine blankets, fittings. Flange covers, engine exhaust pipes and pipe and duct lagging.
- Available red dyed to comply with Federal Standard 595A color chip 31158.

1200°F / 648°C continuous rating, high insulation value & excellent personnel protection

DeltaGlass™ Very High Temperature & Heat Resistant Heat Treated Fiberglass Cloth Fabric Meets USCG 164.009, MIL-C-20079F Type 1, Class 3 & Class 9 & MIL-I-24244B			
Part Number	Weight oz/yd ²	Roll Width In / cm	Thickness In / mm
F-MIL-C-20079H-T1C3	8.5	60 / 152	.018 / .457
F-MIL-C-20079H-T1C9	18	60 / 152	.032 / .81

Roll length is 150 Feet / 50 yards / 45 Metres. Please call for pricing on fabric with PSA

These Products are Available By-The-Yard / Metre: Discounts for full roll purchases