



## InsulShrink™ Polyolefin Shrink Tubing

2:1 / 3:1 / 4:1 shrink ratios - 194°F / 90°C Shrink Temperature



- Good general chemical resistance.
- Available in 11 colors.
- Easily cut to length.
- MIL-I-23053/5
- Printing available: Logos, Part Numbers, etc.



**InsulShrink™ Polyolefin Shrink Tubing**  
**2:1 / 3:1 / 4:1 shrink ratios - 194°F / 90°C Shrink Temperature**

<b>InsulShrink™ Polyolefin Heatshrink Tubing - 2:1 shrink ratio</b>			
<b>Part Number</b>	<b>Shrink Range Normal size → Shrunk</b>	<b>Spool Size &amp; Price</b>	
		<b>Bulk Spool</b>	<b>Shop Spool</b>
ST-P2-0.0468-XX-Y	0.0468 → 0.0234	500 ft / \$ 137.50	25 ft / \$ 8.13
ST-P2-0.0468-BR-Y	0.0468 → 0.0234	500 ft / \$ 137.50	25 ft / \$ 8.13
ST-P2-0.0625-XX-Y	0.0625 → 0.0312	500 ft / \$ 162.50	25 ft / \$ 10.00
ST-P2-0.0625-GY-Y	0.0625 → 0.0312	500 ft / \$ 162.50	25 ft / \$ 10.00
ST-P2-0.0937-XX-Y	0.0937 → 0.0468	500 ft / \$ 162.50	25 ft / \$ 10.00
ST-P2-0.1250-XX-Y	0.1250 → 0.0625	500 ft / \$ 175.00	25 ft / \$ 10.63
ST-P2-0.1875-XX-Y *	0.1875 → 0.0937	250 ft / \$ 131.25	25 ft / \$ 15.00
ST-P2-0.2500-XX-Y	0.2500 → 0.1250	250 ft / \$ 143.75	25 ft / \$ 16.25
ST-P2-0.2500-OR-Y	0.2500 → 0.1250	250 ft / \$ 143.75	25 ft / \$ 16.25
ST-P2-0.3750-XX-Y	0.3750 → 0.1875	200 ft / \$ 130.00	25 ft / \$ 18.13
ST-P2-0.5000-XX-Y	0.5000 → 0.2500	200 ft / \$ 150.00	25 ft / \$ 20.63
ST-P2-0.5000-BR-Y	0.5000 → 0.2500	200 ft / \$ 150.00	25 ft / \$ 20.63
ST-P2-0.6250-XX-Y ††††	0.6250 → 0.3125	100 ft / \$ 90.00	25 ft / \$ 25.00
ST-P2-0.7500-XX-Y	0.7500 → 0.3750	100 ft / \$ 100.00	25 ft / \$ 27.50
ST-P2-1.0000-XX-Y	1.0000 → 0.5000	100 ft / \$ 147.50	25 ft / \$ 41.25
ST-P2-1.5000-XX-Y †††††	1.5000 → 0.7500	100 ft / \$ 247.50	25 ft / \$ 68.75
ST-P2-2.0000-XX-Y	2.0000 → 1.0000	100 ft / \$ 342.50	50 ft / \$ 95.00
ST-P2-3.0000-XX-Y **	3.0000 → 1.5000	100 ft / \$ 775.00	50 ft / \$ 203.13
ST-P2-4.0000-BK-Y ***	4.0000 → 2.0000	100 ft / \$ 1000.00	25 ft / \$ 265.63

\* Only available in Black and Clear. \*\* Only available in Black, Clear, Green, Green/Yellow Striped, White, Yellow.

\*\*\* Only available in Black. †††† Black, Clear, Orange, Red, White, Yellow pricing supplement. ††††† Green, Gray, Orange, Purple, Yellow pricing supplement.

For the "XX" value in the part number: specify **WH** - White; **BK** - Black; **GY** - Gray; **RD** - Red; **OR** - Orange; **YL** - Yellow; **GN** - Green; **BL** - Blue; **PP** - Purple; **BR** - Brown; **YG** - Yellow/Green Striped; **CL** - Clear

For the "Y" value in the part number: specify "B" for Bulk Spool or "S" for Shop Spool

WARNING: This product can expose you to chemicals including: antimony trioxide, known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**InsulShrink™ Polyolefin Shrink Tubing**  
**2:1 / 3:1 / 4:1 shrink ratios - 194°F / 90°C Shrink Temperature**

<b>InsulShrink™ Polyolefin Heatshrink Tubing - 3:1 shrink ratio</b>			
<b>Part Number</b>	<b>Shrink Range Normal size → Shrunk</b>	<b>Spool Size &amp; Price</b>	
		<b>Bulk Spool</b>	<b>Shop Spool</b>
ST-P3-0.0625-XX-Y	0.062 → 0.020	500 ft / \$ 225.00	25 ft / \$ 14.37
ST-P3-0.1250-XX-Y	0.125 → 0.041	500 ft / \$ 262.50	25 ft / \$ 15.62
ST-P3-0.1875-XX-Y	0.187 → 0.062	250 ft / \$ 187.50	25 ft / \$ 20.62
ST-P3-0.2500-XX-Y	0.250 → 0.083	250 ft / \$ 212.50	25 ft / \$ 23.75
ST-P3-0.3750-XX-Y	0.375 → 0.125	200 ft / \$ 195.00	25 ft / \$ 26.87
ST-P3-0.5000-XX-Y	0.500 → 0.166	200 ft / \$ 215.00	25 ft / \$ 30.00
ST-P3-0.7500-XX-Y	0.750 → 0.250	100 ft / \$ 145.00	25 ft / \$ 40.00
ST-P3-1.0000-XX-Y	1.000 → 0.333	100 ft / \$ 215.00	25 ft / \$ 59.37
ST-P3-1.5000-XX-Y	1.500 → 0.500	100 ft / \$ 397.50	25 ft / \$ 110.63
ST-P3-2.0000-XX-Y	2.000 → 0.666	100 ft / \$ 960.00	25 ft / \$ 266.87
ST-P3-3.0000-XX-Y	3.000 → 1.000	100 ft / \$ 1832.50	25 ft / \$ 500.00

For the “XX” value in the part number: specify **WH** - White; **BK** - Black; **GY** – Gray; **RD** – Red; **OR** – Orange; **YL** – Yellow; **GN** – Green; **BL** – Blue; **PP** – Purple; **BR** – Brown; **YG** – Yellow/Green Striped; **CL** – Clear

For the “Y” value in the part number: specify “B” for Bulk Spool or “S” for Shop Spool

<b>InsulShrink™ Polyolefin Heatshrink Tubing - 4:1 shrink ratio</b>			
<b>Part Number</b>	<b>Shrink Range Normal size → Shrunk</b>	<b>Spool Size &amp; Price</b>	
		<b>Bulk Spool</b>	<b>Shop Spool</b>
ST-P4-0.5000-XX-Y	0.500 → 0.125	200 ft / \$ 615.00	25 ft / \$ 83.75
ST-P4-0.7500-XX-Y	0.750 → 0.187	100 ft / \$ 537.50	25 ft / \$ 145.63
ST-P4-1.0000-XX-Y	1.000 → 0.250	100 ft / \$ 962.50	25 ft / \$ 260.63
ST-P4-1.2500-XX-Y	1.250 → 0.312	100 ft / \$ 1057.50	25 ft / \$ 286.25
ST-P4-1.5000-XX-Y	1.500 → 0.375	100 ft / \$ 1155.00	25 ft / \$ 312.50

For the “XX” value in the part number: specify **WH** - White; **BK** - Black; **GY** – Gray; **RD** – Red; **OR** – Orange; **YL** – Yellow; **GN** – Green; **BL** – Blue; **PP** – Purple; **BR** – Brown; **YG** – Yellow/Green Striped; **CL** – Clear

For the “Y” value in the part number: specify “B” for Bulk Spool or “S” for Shop Spool

WARNING: This product can expose you to chemicals including: antimony trioxide, known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)