

## End Dip & End Seal Paste for Firesleeve Sealing

### High Temperature & Heat Resistant Sealant For Industrial, Heavy Duty, Aerospace, Marine Grade Firesleeve



#### SleeveSeal™

##### End Seal Dip – Liquid Silicone Rubber

##### End Seal Paste – Silicone Rubber RTV

The ends of firesleeve can be sealed against the absorption of liquids by dipping the end in this liquid silicone rubber end dip sealant or by using end seal paste.

Available in any color: Oxide-Red and Black are the most common (other colors 1 gallon minimum).

Becomes tack free in 60 to 90 minutes and cures fully in 16 to 24 hours\*. Cure can be accelerated by increasing relative humidity and also adding heat.

500°F / 260°C rating once cured. Non-hazardous to ship. Liquid End Seal Dip may be thinned with odourless mineral spirits (xylene). Non corrosive and meets Mil-A-46146 as per NAVAIR 01-1A-20.

The 4 oz mini container opening can accommodate sleeve up to 1 3/4" ID.


The 16 oz container opening can accommodate sleeve up to 3 1/4" ID. Larger sleeve can be carefully convoluted to fit inside the jar opening.

A Low VOC version is available: Maximum VOC is 20g/L.

SleeveSeal™ High Temperature Liquid End Seal Dip and End Seal Paste	
Quantity	Part Number
Liquid End Seal Dip	
4 oz	US-ESD-04-X
16 oz (Pint)	US-ESD-16-X
128 oz (1 gallon)	US-ESD-128-X
128 oz (1 gallon)	US-ESD-LV-128-X*
640 oz (5 gallon)	US-ESD-640-X
End Seal Paste	
3 oz tube	US-ESP-03-X
10.3 oz cartridge	US-ESP-10-X
Desiccant Box	
1.5oz Desiccant in Box	AB-SGD-1

X = "OR" for oxide-red or "BK" for black. Other colors are available for the Dip: min quantity is 1 gallon.  
\* = Low VOC version.

### Desiccant Box



Desiccant box can be placed with uncured SleeveSeal™ Dip container in a sealed container or bag to considerably extend shelf life. Can be re-generated for unlimited re-use.

Perforated plastic box is approx 2 1/4" x 2 1/4" x 1". Total weight is 2.3oz (67g). Can be recharged at low temperature in an oven or microwave. Dry desiccant is blue in color and changes to pink as it absorbs moisture.